

## Part Number: 32154

### Description

- Triple 1080P video output
- Diverse Connectivity: Features 14 ports, including VGA for legacy monitor support.
- Multiple USB Ports: Equipped with a combination of USB-A and USB-C ports for connecting various devices.
- Dual 4K Display Support: Prepare for the future with dual 4K video output capability.
- Dedicated Video Ports: HDMI and VGA outputs to cater to different display needs.
- Memory Card Accessibility: Includes both SD and microSD card readers for versatile data management.
- Power Delivery Support: Keep your devices charged while using the hub with pass-through charging capabilities (where supported), ensuring you never run out of battery during critical tasks.

\*Based on internal testing results. Depending on host drive, performance may vary.

\*\*HDMI port requires a direct HDMI to HDMI connection.



# USB-C™ Multiport Hub

## Part Number: 32154

### Specifications:

Voltage Range: 5V~20V

Max Current: USB output 5V/0.9A

Power Delivery: up to 85W (15W is reserved for other ports)

Interface: 2 x HDMI, one is 4K@60Hz and another is 4K@30Hz; 1 x VGA, up to 1080P;  
1 x RJ45, up to 1Gb/s; 3 x **USB-A 3.0**, up to 5Gb/s; 1 x **USB-C 3.0**, up to 5Gb/s; 2 x USB-A 2.0, up to 480Mb/s; 1 x SD 3.0; 1 x Micro SD 3.0; 1 x Audio jack; 1 x USB-C PD, up to 100W

Operating System: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Working Temperature: 0 °C – 40 °C

Storage Temperature: -20 °C – 70 °C

### Languages

English; French; German; Dutch; Italian; Spanish; Portuguese; Polish; Russian;  
Czech; Hungarian; Slovakian; Croatian; Serbian; Romanian; Turkish;  
Traditional Chinese; Simplified Chinese; Korean; Japanese

### Quick Installation Languages:

EN/DE + Multilingual support text

### Pack Contents:

USB-C™ Multiport Hub (includes 15cm USB-C™ cable)



